

E
CE
P
E.56





P. 525 Suppl. 4. *Boarmia* (**Jordanisca** Whli.) *tenuisaria* Stgr. from the Basra district, where it flies frequently locally in november, is figured by WILTSHIRE, also the still unknown ♀ and the still undescribed caterpillar (Ent. Record 56, 1944, November, p. 114, tab. 4, fig. B, C and K). Caterpillar on *Lycium barbarum* in the Lycietum of the Irak-Plaine as an animal of the oasis.

p. 522 Suppl. *Boarmia sordida* Btlr. (= *B. catotaeniaria* Pouj. ssp. *tomarmia* Bryk), erected on a single ♀, *sordida*, worn and damaged on the wingmargins (= *Boarmia sordida* Btlr. ssp. *sordina* Bryk, based on a single worn ♂). Both specimens came from the same locality: Kunashiri, Tomari, Kuriles. The hitherto wellknown, but neither described, nor figured ♀ of *B. sordida* is, as shown by comparison with my Japanese material, marked by the considerably stronger indented border of the hindwing as of the ♂, which therefor in the ♀ resembles a little more that of *B. catotaeniaria*; the edges of the ♀ of this species however are still considerably sharper, and so this species differs at a first glance by the forewings before the middle of the wings bluntly angulated outer border, what is excellently represented by POUJADE (Ann. Soc. Ent. France 64, 1925, p. 313, tab. 7, fig. 15). Also the drawing especially of the hindwings differs considerably, so that no doubt can exist of the identity of BRYK's picture (Iris 56, 1942, p. 84, tab. 2, fig. 20), which brings at first the representation of the ♀ of *B. sordida*. Of the ♂ of *sordida* there exist 3 pictures, from BUTLER (Ill. Typ. Het. Brit. Mus. 3, 1878, p. 46, tab. 52, fig. 7, enlarged), MATSUMURA (Thous. Ins. of Japon, Suppl. 2, tab. 25, fig. 18) and SEITZ (Vol. 4, tab. 21, fig. f), everyone different (all from Japon), therefor evidently, individually varying, corresponding to my Japanese serie. Such easily varying, thereto still worn and faded and single specimens cannot be put up as subspecies, especially not without sufficient differential diagnosis. From **catotaeniaria** there lies a splendid serie before me *catotaeniaria*, from the provinces Szetshuan, South-Shensi, Kiang-su, Chekiang, Kwantung, Hunan, and from the east-border of Tibet, therefore new to South- and South-East-China, there often in the *f. restrictaria* Leech, of the collections OBERTHÜR, Dr. HÖNE a. o. Aedoeagus of the length of the valvae, slender; swelling-body chitinised, striped; cornutus a conglomerate of three stings; uncus short, broad, with a quite short, ventrally bent tip; valva trapezoid; costa broad, in the midst a tongue-like, medially rounded and there black-toothed clasp; sacculus broadly chitinised, with a bristly papilla. Saccus short, broad, rounded. The 2nd ventral-segment with a transverse row of brown bristly thorns.

p. 527 Suppl. **B.** (*Boarmia*) **lunifera** Btlr. Seikoshin, august (Yano); new for Corea (INOUE). *lunifera*

p. 536 Suppl. **B.** (*Ectropis*) **excellens** Btlr. Shoyo-zan, 7th and 10th of august (POKU); new for Corea *excellens*. (INOUE).

p. 539-40 Suppl. For "*B. Ectropis*" **sinearia** Guen. I have set up after an exact description of the structure and of the ♂ genital-apparatus the genus **Syllegusina** Whli. with *S. sinuaria* Guen. as the typus of the genus, in the part issued the 24th of august 1943. A short time ago INOUE had published for the same species the genus **Rectopis**. *Rectopis* receives priority. INOUE does not show himself positive about the position in the system. I pointed out to the relations of some markings to the *Semiothisinae*, like the hitherto omitted translucent hyalin wedge-spot of forewings behind the cell, as it occurs similarly in *Semiothisa* (*Thyridesia*) *pluriata* F. and *khasiana* Swinh. a. o. — The real fovea lies behind this spot —; further the thickened hindtibiae with the striking brush and the tarsae shortened to $\frac{1}{3}$; then the three-parted valvae, the anguillae of which resemble those of *Semiothisa* (*Ligdiiformia*) *temeraria* Swinh.; also the *Abaxas*-like long aedoeagus occurs too in *Semiothisa* (*Chiasmia*) *clathrata* L. — admittedly shorter —. The short uncus, indeed without the typical horns, points also to relations with the *Semiothisinae*, near which the genus *Rectopis* would be ranged.

p. 541 Suppl. **B.** (*Racotis*) **boarmiaria** Guen. (46 b). INOUE figures the butterfly and the ♂ genital apparatus (also of the two following species *petrosa* and *opertaria*) (Trans. Kansai Ent. Soc. 12, 1942, tab. 7, fig. 5, 6, 7 and tab. 8, fig. 1, 2, 3) and records the new point of flight Hikosan. *boarmiaria*.

p. 542 Suppl. **B.** (*Racotis*) **petrosa** Btlr. New points of flight are communicated by INOUE: Kirishima, *petrosa*, Karuizwa, Sobosan.

p. 378 Vol. 4 tab. 21 i (as *Ectropis*) **B. Racotis opertaria** Leech also teste INOUE has proved as *Racotis opertaria*. (Genital apparatus see under *boarmiaria*). Newly dated points of flights: Tanzawa, 12th of April, Takaosan 29th of april, Japon.

p. 542 Suppl. **B.** (*Aethalura*) **nanaria** Stgr. Newly dated points of flights: Sobo-san, 5th, 18th of july; *nanaria*. Inunaki, 28th of april; Hiko-san, 19th of mai.

p. 379, Vol. 4. **B.** (*Ectropis*) **cilicornaria** Püng. INOUE would like to enter this species under *Aethalura*, *cilicornaria*.
Supplementary Volume 4.

according to anatomical research of the ♂ genital organ, but seems to be not quite convinced about the correctness of his opinion. I therefor for the present left the species still under *Ectropis*, till a later examination has taken place, which is not possible to me at the present time.

parvularia. p. 544 Suppl. **B.** (*Diplurodes*) **parvularia** *Leech*. New points of flight, according to INOUE: Honshu, Myoken-yama, Osaka Pref., 4th of july; Karuizawa, 15th of july.

At the end I must still mention the appearance of some excellent lokal faunas, that could not be considered before and of which the Catalogus of the *Nederlandse Macrolepidoptere* by B. J. LEMPKE, issued in the Tijdschrift voor Entomologie 1947–1953 may especially be emphasized. It is worked out very carefully and in detail.

INDEX

The number immediately behind the name indicates the page. The names with a capital initial are those of Genera; names in italics are synonyms or have been incidentally mentioned.

A.

- Abaciscus* 533
Abaciscus Bthr. 540
abbreviata *Steph.*, Eupith. 191, 204, 205, 207
abbreviata Nitsche Gnoph. 614
abditaria H.-Schäff. Cid. 128, 12 d
aberdoniensis Ray. Abr. 281
aberrans Warr. Streps. 99
abiens subsp. n. Lac. 181 . . . 16 i
abjecta Btt. End. 340
ablataria Fuchs Cab. 306, 307
ablegata Stgr. Cid. 167
ablunata Gn. Stenor. 363
ablutaria Bsd. Cid. 133, 248 . . . 12 g
ablutata Dht. Scop. 46
abraria Neoly. 272
abrata Lange Cid. 137
abraxaria Alph. Neoly. 270
abraxaria Atph. Neoly. 271
abraxaria Wkr. Boarm. 533
abraxaria Stern. Neoly. 271, 272, 273
Abraxas Leach 275
Abraxas Leach. 280
Abraxas 97, 102, 107, 263, 278, 291, 292, 382, 389, 424, 540, 651, 703, 704, 718, 721
abraxas Oberth. Trp. 6 . . . 1 h
abraxata Leech Cul. 266 . . . 20 b
Abraxiden 540, 533
abraxides Prt. Monoc. 404, 33 a
abraxina Bthr. Cid. 102
Abraxinae 312, 344, 382, 388
abrogata Wtk. Asaph. 136
abruptaria Thnbg. Hem. 527, 583
abruptaria Thnbg. Hem. 448, 449, 450, 451, 452, 454, 456, 458
abruzzensis Dht. Cid. 137
abruzzensis Dietze Eupith. 187
absinthiata Cl. Eupith. 193, 194
absorpta Warr. Car. 94
abstersaria Bsd. Boarm. 478, 482, 485
abstersaria Bsd. Boarm. 481 42 i
abstersaria H.-Schäff. Cid. 124 41 i
abstersata H.-Schäff. Cid. 124
abstinentaria Fuchs Lyth. 71
abundantior Whiti. Boarm. 529
abundata Dhl. Sterr. 63
acaciaria Bsd. Boarm. 493, 496
acaciaria Hmps. Boarm. 496
Acatia Gn. 641
acalles spec. nov. Cid. 154, 155 15 e
Acanthocampa Dyar. 428
acardia Byt.-Salz Eil. 377
acardia Stich. Eil. 378 . . . 30 h
Acasis Dup. 89
Acasis Dup. 89, 90, 91
accentuata Prt. Discol. 176 . . . 16 e
accessaria H.-Schäff. Scop. 37, 4 h
aecessata Dietze Eupith. 204
accipitraria Guen. Gnoph. 576
accurataria Christ. Scop. 34
achatinata Hbn. Lyg. 108
achatinellaria Oberth. Lyg. 108, 245
achlyoides subsp. nov. Scop. 35
achrolopha Png. Phot. 244
achromaria Lah. Cid. 141
achromata Dhl. Eupith. 206
achrosta subsp. nov. Scop. 45 5 d
achtyca Whiti. Nych. 442, 38 b
achyra Whiti. Bist. 430 . . . 35 h
achyrdaghica Whiti. Eupith. 189
achyrdaghica Whiti. Eupith. 190 . . . 14 h
aciculata Mats. Arich. 256
aciceps Prt. Boarm. 532
acidalaria Wgn. Brachygl. 68, 230
Acidalia 22, 27, 33, 48, 61, 642
Acidaliinae 22
acidaria Stgr. Rhod. 25
Acotutha Warr. 182
Acrobapta Whiti. 300
Acrodontis Whiti. 333
Acrodontis Whli. 708
acronevadaria Whiti. Fid. 644 . . . 51 i
acronevadaria Whiti. Nych. 437
actaeata Watderd. Eupith. 191
acte Swch. Bert. 21
actinaria Dhl. Cid. 161
actiosaria Wkr. Sterr. 67
actuaria Wkr. Scop. 37
acuminaria Catb. Cteog. 457
acuminaria Gon. 342
acuminaria Ev. Aspil. 675, 680
acuminaria Ev. Cleog. 458
acuminaria Leech Gar. 332
acuminaria Leech Phal. 329
acuta Whli. Syn. 463
acutangulata Christ. Cid. 129, 147
acutangulata Christ. Cid. 124 13 c
acutangulata Stern. Bap. 298 22 i
acutaria Leech Gon. 342, 344 26 g
acutaria Leech Gon. 343
acutaria Leech Dal. 349
acutaria Snett. Lux. 408
aculata Gn. Cid. 121 . . . 11 g
acutipennaria Schwach. Selid. 653 . . . 52 d
acutula Trti. u. Krüg. Eupith. 203
acyana subsp. nov. Cid. 139 . . . 13 f
acyra sp. n. Hemist. 20 . . . 3 e
Adactylotis Hbn. 646
Adactylotis Hbn. 382
Adalbertia Whiti. 315
Adalbertia 315, 316, 323
addictata Dietze Eupith. 191
adelpharia Püng. Scop. 37, 38, 47
adelphica Whiti. Abr. 287, 288 22 b
adesma Prt. Hydr. 178, 179 . . . 16 g
adherbariata Stgr. Sterr. 62
adjectaria Gnoph. 612
adjectaria Stgr. Gnoph. 610 . . . 50 d
adjouaria Ob. Cid. 139
adjuncta ssp. n. Arich. 259 . . . 19 e
adjunctaria Bsd. Scop. 40 . . . 5 a
adjunctata Dtz. Eupith. 203
adkini Harr. Lyc. 425
adlata Stgr. Cid. 144
admirabilia Brdt. Nych. 440
718 38 c
admirabilis Bryk Gar. 708
admissaria Guen. Alcis 469
admissaria Guen. Boarm. 497, 500, 501, 503, 504, 505
admissaria Guen. Boarm. 499
adonidaria Oberth. Our. 355
adornata Stgr. Orthol. 104 . . . 7 k
adornata Stgr. Orth. 78, 236 . . . 7 k
adriatica Wgn. Chem. 683 . . . 53 g
adrosea Whiti. Het. 367. . . . 30 d
adscriptaria Stgr. Eupith. 207
adspersaria Hbn. Hypox. 374, 375
adulterina Heyd. Rhod. 24
adumbraria H.-Schäff. Cid. 145
adustaaria Leech Sel. 328
adustaria Preiss. Boarm. 493
adustata Schiff. Lig. 292
adustata Byt.-Satz Lith. 373 . . . 34 e
advenaria Hbn. Cephis 712
advenaria Hbn. Ceph. 371
adzearia Oberth. Sem. 392 . . . 31 h
aechmeëssa Prt. Boarm. 485
acgivoridis Prt. Pseud. 319
aegyptiaca Dtz. Eupith. 199
aëlpes subsp. nov. Orth. 78 . . . 7 k
aëlpes Prt. Orth. 236
aemutata Hbn. Horisme 215
aemyla sp. n. Cid. 248 . . . 18 f
aenearia Oberth. Gnoph. 614, 615
aenigma Prt. Acro. 333
aenigma Prt. Acro. 334
aeotaria Joann. Ctenogn. 569
aequaria Zerny Croc. 709
aequaria Fuchs Croc. 347, 709
aequata Stgr. Scop. 47
aequata Stgr. Eupith. 194
aequilineata Schwach. Scop. 45
aequistriaria Trti. u. Krüg. Eupith. 203
aequistrigata Stgr. Eupith. 196
aequivalens spec. nov. Triph. 99

- aerata* Mr. Perat. 293
aerata Mr. Crypt. 93
aerosa Btlr. Eust. 106 . . . 10 f
aeruginata Thal. 19
aescularia Schiff. Als. 2
aesia Prt. Abr. 289, 290
aestimaria Hbn. Sem. 392
aestimaria Hbn. Sem. 384, 385
aestiva Dhl. Sterr. 54
aestiva Dietze Eupith. 184, 193
aestiva Diosz. Plag. 358
aestiva Fuchs Sterr. 65
aestiva Rbl. Eil. 378
aestiva Stgr. Selen. 328, 706
aestiva Vorbr. Cos. 30
aestiva Vorb., Müll.-Rtz. Opist. 363
aestivalis Byt. Boarm. 523 . . 43 h
aestivalis Dhl. Hem. 448
aestivalis Dhl. Hem. 449 . . . 39 b
aestivalis Diosz. Cid. 133
aestivaria Hbn. Hemith. 13, 14, 15
aestivjularia Imhof Selen. 706
aethalodes Whli. Gnoph. 605, 606 . . . 49 h
Aethaloptera Hulst 542
Aethalura McDunn. 533, 721
Aethalura McDunn. 542
aetheriata Graes. Para. 305 . . 23 e
aetheriata Graes. Para. 306
aetnaea subsp. nov. Gloss. 48
aethocrypta Prt. Eph. 330
aethregenes Prt. Boarm. 538
aexaria Wkr. Angerona 350, 569
aexaria Wkr. Ang. 351, 711
affiniata Borkh. Opor. 96
affinis Dietze Eupith. 200
affinis Harr. 426
affinis Mr. Cid. 164
affinis Warr. Ana. 88
affinitata B.-Haas Sterr. 62, 228 . . . 6 d
affinitata Cul. Sterr. 55
affinitata Steph. Cid. 166
Afriberina Whli. 474
africana Zerny Ita. 397
affumicata Dhl. Sterr. 65
affumigata Dhl. Sterr. 65
agacles Oberth. Dyse. 668 . . . 53 a
agana Prt. Ococ. 337 . . . 26 c
agaritharia Dard. Onych. 656
agatcha Brdt. Nych. 443 . . . 38 d
Agathia Gn. 7
Agathia Gn. 8
ageta Prt. Semi. 355
agglomerata sp. n. Hydr. 178. . . 16 g
agglomerata Nitsche Gnoph. 614
aggregata Gn. Eupith. 192
agitata Btlr. Xand. 554
agilata Christ. Horisme 212 . . 18 f
Aglossochloris Prt. 18
agnata Le Cerf Triph. 98
agnes Btlr. Lyg. 110
Agnibesa Moore 179
Agnibesa 181
agnitaria Stgr. Gnoph. 626 . . 49 f
Agrapha 238
agrapharia Homb. Cos. 221
agraptus Schultz Sem. 387
agrestaria Dup. Pseud. 7
Agriopis 411, 412, 415, 716
Agriopis Hbn. 412
aigneri Prt. Boarm. 535 . . . 45 i
aigneri Prt. Ping. 5 . . . 1 f
aindrahamaria Oberth. Pachycn. 562
ainoica Mats. Scop. 41
aksua Whli. Art. 338 . . . 26 b
aksuensis Whli. Cid. 146 . . . 14 b
alagnensis Nitsche Gnoph. 613
alaicola subsp. nov. Kuld. 79 . . 8 c
alaskae Cass. u. Swett. Cid. 248
alaudaria Frr. Cid. 157
alba Bubač. Pseud. 7
alba Such. Ping. 5
alba-effusa Müll. Cid. 120
albaria Bart. Aspil. 677, 678, 679
albaria Bart. Aspil. 679
albarracina Reiss. Sterr. 57
albarracina Whli. Croc. 347 709 . . . 27 c
albarracina Zerny Orth. 78 . . 7 k
albata Cul. Cid. 116
albata Djak. Neur. 355 . . . 33 g
albersaria Warn. Dyse. 660
albersaria Warn. Dyse. 661
albescens Dietze Eupith. 207
albescens Fernand. Orth. 77, 78
albescens Schaw. Erann. 415
albescens Schwach. Pseud. 7, 217
albescens Warn. Kuld. 79 . . . 8 a
albibasis Hmps. Boarm. 543
albicans Bubač. Emat. 649
albicans Nitsche Nyss. 422
albicans Oberth. Fid. 643
albicans Oberth. Sem. 390 . . . 31 g
albicans Prt. Scop. 44 . . . 5 c
albicans Rbl. Opist. 363
albicans Sohn-Rethel Cid. 141 . . 13 k
albicans Strd. Cid. 145 . . . 13 k
albicillata L. Cid. 157
albicinetaria Haw. Cid. 129
albicinetata Pngl. Lyg. 110 . . 11 a
albicollis Warr. Bist. 433
albida Ckl. Orth. 77
albida Herz. Cid. 156 . . . 15 g
albida Koloss. Pseudot. 216
albida Oberth. Ping. 5 . . . 1 f
albida Sohn-Rethel Cid. 167
albidaria Leech Asth. 179
albidaria Leech Asth. 180 . . 16 i
albidaria Nitsche Cid. 169
albidaria Sohn-Rethel Cid. 146
albidaria Stgr. Dyse. 659, 660, 661 . . . 52 h
albidaria Stgr. Scop. 224
albidaria Stgr. Scop. 45, 224 . . 18 i
albidaria Wkr. Med. 445 . . . 38 h
albidella nom. nov. Cid. 167
albidior Alph. Cid. 252
albidior Heinr. Eupith. 190
albidior Warr. Probl. 33 . . . 4 f
albidissima Strd. Cid. 134
albidivisa Inoue Hir. Abrax. 703
albidivisa Warr. Cid. 167
albidulata Stgr. Eupith. 186
albifascia nov. Cid. 143 . . . 15 a
albifasciata Prt. Cid. 250
albifenestrata Inoue Semioth. 713
albifera Mr. Boarm. 510 . . . 44 a
albifilata sp. n. Pier. 172 . . . 16 d
albiflua subsp. nov. Cid. 251 . . 17 f
albifrons Mr. Phal. 329
albifrons Mr. Phal. 329
albifrontaria Leech Pet. 705
albifrontaria Leech Pet. 310
albigirata Koll. Cid. 140
albigirata Koll. Cid. 129
albigressa subsp. nov. Cid. 163 . . 15 k
albilineata Harris Opor. 97
albimacula Prt. Cid. 164
albimaculata Freyer Cid. 253
albinata Rom. Cid. 163
albinea sp. n. Discol. 176 . . . 16 f
albinigrata Warr. Peren. 703
albinigrata Warr. Perc. 264
albinisante Oberth. Athrool. 645
albiocellaria Hbn. Cos. 221
albiocellaria Hbn. Cos. 30
albipallata Onsl. Abr. 281
albiplaga Oberth. Triph. 99, 100, 214
albiplaga nov. Phot. 104
albiplaga Spitz Eupith. 206
albiplaga Spitz Eupith. 207 . . 17 k
albipuncta Warr. Phal. 330
albipunctaria Alph. Rhod. 70
albipunctaria Leech Cid. 156
albipunctata Scop. 41
albipunctata Nitsche Cid. 169
albipunctata Warr. Hypos. 407
albipunctatus Hmps. Gar. 331
albirama sp. n. Triph. 243 . . . 17 a
albirosea Rothsch. Dyse. 662
albistellaria Warr. Ecod. 624, 625
albistrigata Warr. Gel. 13 . . . 3 a
albitorquata Päng. Sterr. 57
albivertex Arich. 254
albivertex Whli. Arich. 260 . . 19 g
alboapicata Stern. Ping. 5
alvociliata Hörh. Lom. 291
alvocrenata Curt. Cid. 155 . . . 15 g
albodecorata Blackm. Cid. 159
albodivisa nov. Cid. 126 . . . 12 b
albofalcata Schaw. Bapt. 82, 237
albofascia Swth. Teph. 401
albofasciata Gauekl. Cid. 252
albofasciata Mr. Cid. 163
albofasciata Mr. Xand. 554
albofasciata Müll. Cid. 116, 120
albogilvata Prt. Cid. 155 . . . 15 g
alboguttata Fcttig Sem. 390
albolineata Wagn. Pseud. 7
albomacula Dziurz. Bup. 651
albomaculata Kiel. Cid. 169
albomarginata Hirschke Cid. 141
albomarginata Oslh. Lom. 291
albomarginata Zerny Sterr. 52
albomedia Djak. Cid. 153
albonigrata Höf. Cid. 112
albonigrata Nitsche Cid. 169
albonitens Stern. Sterr. 228
albonotaria Brem. Zeth. 339
albopunctata Lange Cid. 158
albosignaria Brem. u. Grey. Boarm. 530
albosignata Boarm. 529
albosignata Cid. 151
albosignata Mr. Asth. 181 . . 16 i
albosparsata Ioan. Eupith. 188 . . . 14 g
albostrigaria Brem. Cid. 150
albovenaria Brem. Hipp. 10
albovenaria Leech Rhyn. 380
albovenosata Heydem. Cid. 123 . . 11 h
albula Nitsche Gnoph. 613
albulata Hufn. Asth. 180
albulata Schiff. Cid. 168
alchemillata L. Cid. 166
Alcis Sleph. 458, 469, 496, 499, 511, 512, 516, 518, 524, 545, 677, 720
Alcis Curt. 497
Alcisca 511
alcopodes sp. n. Eupith. 198 . . 13 i
Aleucini Djak. 299, 410
Aleucis 300, 409, 410, 412, 704
Aleucis Curt. 299
alexandra Whli. Gnoph. 576, 577.
alexandraria Stgr. Cid. 124 . . 12 a
alexandrina Whli. Bist. 432 . . 36 a
alexandrowskana Mats. Cid. 122 . . . 11 h
alexaria Mcyr. Cid. 124
alfacariata Rbr. Cid. 141
alfactaria Stgr. Orth. 78 . . . 7 k
algeriaca Cul. Sterr. 61 . . . 7 a
algerica B.-Haas Lith. 239
algeriensis Bk. Sterr. 60
algeriensis Prt. Enn. 324 . . . 24 h
algeriensis Rothsch. Fid. 643
algidata Cul. Cid. 123
algiariae Stål. Col. 345
algiariae Bak. Sterr. 54

- algerica *Whli.* Pseud. 7 2 a
 algericaria *Luc.* Zeryia 685
 algericaria *Oberth.* Phas. 467
 468 41 d
 algericata *Luc.* Cid. 146
 alhambrata *Stgr.* Cid. 144
 ali *Brdt.* Gnoph. 611 50 b
 aliena *Btlr.* Cid. 156 15 g
 aliena *Burr.* Euchl. 218
 aliena *Harr.* 426
 alienaria *Mr.* Boarm. 493, 495,
 496, 522, 531
 alienaria *Cid.* 156
 alienaria *Cleora* 469
 alienata *Stgr.* Gon. 341
 allardata *Mab.* Sterr. 52, 224
 alliararia *Stgr.* Eupith. 189
 alliararia *Stgr.* Eupith. 190
 Allocotesia *Whli.* 308
 Alloharpina *Whli.* 458
 Alloharpina 448, 460, 461, 462,
 569
 allongaria *Stgr.* Sterr. 58
 allongata *Stgr.* Sterr. 63, 227
 allongata *Stgr.* Sterr. 58
 almacola *Whli.* Sem. 390 31 f
 almasa *Schaw.* Syn. 463 40 e
 almensis *Whli.* Nych. 441 38 d
 alniaria *L.* Enn. 324
 alogaria *Schaw.* Cos. 31
 alona *Th. Mieg.* Abr. 281
 alpestris *Warr.* Abr. 279
 alpestris *Whli.* Sel. 326 25 a
 alpherakyi *Wgn.* Art. 337, 338 26 b
 alpicolaria *H.-Schäff.* Cid. 143
 alpicolaria *Vorbr.* Emat. 647 52 a
 alpina *Kitt.* Ang. 351, 710 27 h
 alpina *Rätz.* Bup. 651
 alpina *Sulz.* Nyss. 422
 alpina *Sulz.* Nyss. 421, 423,
 425, 639
 alpina *Vorbr.* Bup. 651
 alpinaria *Borkh.* Nyss. 422
 alpinaria *Esp.* Nyss. 422
 alpinata *Cul.* Cid. 115
 alpinata *Hoffm.* Cid. 127 12 c
 alpinata *Scop.* Psod. 635,
 alpinata *Scop.* Psod. 628, 638, 639,
 640
 alpmaritima *Whli.* Psod. 631, 633,
 634
 alpmaritima *Whli.* Psod. 632 51 g
 Alsophila *Hbn.* 2
 Alsophila 2, 715, 716
 altaica *Whli.* Lomo. 295 22 g
 altaicata *Djak.* Cid. 131
 altaicola *Whli.* Ccr. 456 40 d
 altenaria *Stgr.* Eupith. 193
 altera *Whli.* Anger. 711
 altericeps *Whli.* Phal. 330 25 d
 alternaria *Hbn.* Semiolh. 386, 513
 alternata *Cal.* 101, 244
 alternata *Mill.* Cid. 127, 160
 alternata *Müll.* Cid. 161, 162
 alticolaria *H.-Schäff.* Psod. 629
 alticolaria *Harris.* Opor. 97
 alticolaria *Mill.* Psod. 629
 alticolaria *Mn.* Psod. 627, 628,
 629, 630, 631, 632, 638
 alticolaria *Mn.* Psod. 628, 51 c
 alticolaria *Prt.* Psod. 629
 alticolaria *Schaw.* Sterr. 65
 alticolaria *Spuler-Rebel* Psod. 629
 alticolarius *Zerny* Psod. 628
 altissimaria *Oberth.* Gnophops.
 622
 altivaga *subsp. nov.* Cid. 161
 altivolans *Whli.* Cid. 138
 altivolans *Whli.* Cid. 138, 250 13 f
 altivolaria *Schaw.* Sterr. 65
 altivolaria *Bubač.* Sterr. 52 5 g
 Altrivalvina *Whli.* 680
 alvandica *Whli.* Gnoph. 611
 alvarensis *Wahlgr.* Dysc. 659, 660
 alvindata *Banderm.* Erann. 414
 alyssata *Zerny* Sterr. 54
 alyssumata *Mill.* Sterr. 53, 54
 amabilis *Schaw.* Cos. 32 6 a
 amabilis *Zerny* Gnoph. 590
 amanensis *Whli.* Gnoph. 580
 581 48 a
 amanensis *Whli.* Orth. 5 1 e
 amani *Whli.* Selid. 652
 amarensis *Dhl.* Eupith. 200
 amasa *Btlr.* Lux. 407, 408 33 b
 Amasia 573
 amata *L.* Cal. 27, 28, 29
 amata *L.* Phal. 233
 amataria *Whli.* Scop. 38
 ambigua *sp. n.* Scop. 45 5 d
 ambigua *Dup.* Gnoph. 576,
 584, 587
 ambigua *Dup.* Gnoph. 586
 ambiguatus *Gnoph.* 609
 Amblychia *Gn.* 408
 amblychiles *subsp. nov.* Triph. 99 9 h
 ambusta *Warr.* Lob. 93
 ambustaria *Hbn.* Selid. 653
 654
 ambustaria *Lecch* Cid. 143 15 a
 Amdo 388
 amdoensis *Alph.* Triph. 99
 amelia *Btlr.* Cid. 37, 143
 amelina *Whli.* Med. 447 39 a
 amicula *Whli.* 288 22 c
 amoenaria *Stgr.* Boarm. 511
 amoenata *Christ.* Lith. 241
 amoenata *Steph.* Cid. 120
 amoenata *Fuchs* Sterr. 66
 amoritaria *Püng.* Scodion 655.
 amoritaria *Püng.* Scod. 656,
 657 52 e
 Amorphogynia *Harr.* 423
 Amorphogynia 424
 amphibolaria *Whli.* Megam. 717
 amphicata *Phot.* 103
 amphidasaria *Prl.* Crypto. 458
 amphidasaria *Oberth.* Crypt. 448
 amphidasaria *Oberth.* Crypto. 458 40 d
 amphidoxa *Whli.* Our. 353 28 a
 amphitritaria *Oberth.* Chlor. 14, 15
 amphitritaria *Oberth.* Chlor. 15
 amplexata *Christ.* Eupith. 192
 amplificata *Wkr.* Trp. 6
 amplexipennis *Inoue* Boarm. 720
 Amnesicoma *Harr.* 104
 Amnesicoma 104, 244
 Amraica *Moore* 435
 amura *Whli.* Epi. 371 34 d
 amurensis *Hedem.* Lom. 291 22 e
 amurensis *Stgr.* Boarm. 518,
 519
 amurensis *Stgr.* Asth. 180 16 h
 amurensis *subsp. nov.* Euchl. 17
 amurensis *Whli.* Boarm. 470
 amydra *Whli.* Pseudom. 336 26 d
 amydrina *Whli.* Boarm. 514 45 c
 amygdalaria *H.-S.* Nych. 440, 442
 amygdalaria *H.-Schäff.* Nych. 441,
 amyglaria *Lah.* Min. 81
 Amygdaloptera *Gmpbg.* 81
 Anacamptodes 472
 anadema *Prt.* Chlor. 15 3 a
 anaemica *Kautz* Cid. 151
 Anagoga *Hbn.* 314
 Anagoga 315, 351, 431
 anañaria *Herz* Scop. 35
 Anaitis *Dup.* 86
 Anaitis 85
 analoga *Djak.* Eupith. 184
 analogaria *Püng.* Sem. 393 32 h
 anargyra *Trli.* Comps. 681
 anastomosaria *Gatr.* Sterr. 51
 anastomosaria *Galv.* Sterr. 54
 anastomosaria *Höf.* Ell. 322
 anastomosaria *Müll.* Sterr. 226
 anastomosaria *nov.* Gloss. 48 5 f
 anastomosaria *Preiss.* Scop. 31, 41, 44, 223
 anastomosaria *Preiss.* Sterr. 65, 66 6 f
 anastomosaria *Schwing.* Gnoph. 675, 600
 anastomosaria *Schwech.* Phas. 468
 anastomosaria *Wgn.* Nych. 439
 anastomosis *Hoffm. u. Klos.* Gnoph. 620
 anatolica *Whli.* Ana. 88 9 c
 anceps *Whli.* Trig. 406 33 b
 anchotera *sp. n.* Rhod. 25 4 a
 ancilla *Harr.* 425
 ancipitata *Tr.* Cal. 100
 ancyrana *sp. n.* Lith. 239
 andalusaria *Mill.* Nych. 437 37 c
 andalusaria *Wgn.* Cing. 50
 andalusica *Ribbe* Cal. 101
 andalusica *Whli.* Cid. 144
 andalusica *Whli.* Eupith. 185 14 e
 andaraba *Whli.* Boarm. 499 41 c
 andereggaria *Lah.* Gnoph. 616,
 618, 619
 andereggaria *Lah.* Gnoph. 620
 andrea *Lamb.* Lom. 291
 andreasaria *Warn.* Nych. 438,
 439 37 f
 andresi *Drt.* Scop. 34 4 g
 andriana *Dhl.* Char. 674
 androgynus *Reiss.* Gnoph. 576
 Anemmetresa *Whli.* 292
 Anemmetresa 312
 anepsia *Whli.* Med. 445 38 h
 anerythreia *Rbl.* Cid. 148
 angelicata *Schultz* Sterr. 64
 angelica *Btlr.* Myrt. 297 22 h
 angelicata *ab. nov.* Eupith. 191, 193
 angeri *Schaw.* Ches. 85 8 i
 Angerona *Dup.* 350
 Angerona 339, 347, 351, 355,
 540, 569, 571, 676, 710, 711
 angeronaria *Gn.* Ambl. 408
 angeronaria *Warr.* Cos. 31
 anglica *subsp. nov.* Cars. 88 9 c
 anglicata *Mill.* Eupith. 191,
 206
 Anguilla 388, 582
 angularia *Lecch* Cid. 128 12 d
 angularia *Lecch* Par. 370
 angulifera *Btlr.* Boarm. 506
 angulifera *Dem.* Enn. 325
 angulifera *Stern.* Boarm. 506,
 507
 angulifera *Wkr.* Psyra 671
 angusta *nom. nov.* Eupith. 201 17 k
 angusta *Prt.* Syn. 309 23 g
 angustaria *Lecch* Cid. 154 14 b
 angustaria *Lecch* Naxa 5 1 e
 angustaria *Lecch* Xand. 554
 angustata *Haw.* Eupith. 201
 angustelata *Stern.* Horisme 215
 angustifasciata *Groth* Cid. 246
 angustipennis *Whli.* Psod. 638
 aniculosata *Rmb.* Scop. 38 4 i
 Anisephyra 27
 Anisodes 22, 23, 32, 182
 Anisozygia 10, 11
 ankeraria *Stgr.* Erann. 415, 716
 ankeraria *Stgr.* Erann. 414,
 annexa *Schima* Lyg. 108 13 a
 annexata *Frr.* Ana. 86
 annosatoides *Schultz* Cid. 250
 annotinaria *Cid.* 125 12 a
 annotinaria *Prt.* Cid. 247

- annotinata Zdt. Cid. 247 . . . 12 b
 annubila Stgr. Scop. 66
 annubilata Gnoph. 602, 606.
 611
 annubilata Christ. Gnoph. 605 . 49 h
 annularis Prt. Zernya 684 . . 53 f.
 annulata Schultze Cos. 30
 annulata Byt. Salz Cid. 251
 Anocamploides 527
 anomala Bubač. Scop. 36
 anomala Bthr. Scion. 360
 anomala Warr. Chlor. 15
 anomalaria Forbr. Emat. 650
 anomalarius Huene Bup. 651
 anomatata Prt. u. Stern. Sem.
 392
 anomalata Alph. Sem. 392 . . 31 h
 anomica subsp. (? sp.) nov.
 Euchl. 17 3 b
Anonychia Warr. 361, 712
 anonyma Schaw. Scop. 42
 anophaea Whli. Gnoph. 581 . . 48 c
 anostilpna Whli. Teph. 403 . . 34
 anoxis Whli. Bap. 303 . . . 23 c
 anseraria Hke. Asth. 180
 ansulata Led. Scop. 34
 antangulata Whli. Anonych.
 712
 antangulata Whli. Anon. 361 . . 34 c
 antauges sp. n. Cid. 245 . . . 17 b
 antennata Whli. Sterr. 63 . . . 6 c
 anthina Gnoph. 611
 anthina Whli. Gnoph. 612 . . 49 i
Anthometra Bsd. 50
 anthracia ssp. n. Arich. 259 . . 19 c
 anthrax Dietze Chloroch. 211
Anthyperythra Sich. 316
 Anthyperythra 382
 antiearia Wkr. Boarm. 542
 Antielea Steph. 144
Anticollix gen. nov. 212
Anticypella Meyr. 444
 Anticypella Meyr. 718
 antigone Prt. Hemist. 20
 antionia form. nov. Cid. 251 . . 18 l
 antimarginata Ray. Abr. 281
 antiopa Reiss. Sterr. 226
 antipala Prt. Planoc. 683 . . 53 h
 Antipetelia Inoue 705
 antiplasta Prt. Arich. 262
 antiplasta Prt. Arich. 261
 antiquaria Stgr. Nych. 440,
 441 38 c
 antisticta sp. nov. Cid. 164 . . 16 a
 antitaurica Whli. Sterr. 63
 antitaurica Whli. Sterr. 51 . . . 5 i
 antophilaria Hbn. Rhod. 70,
 233
 antiquaria Stgr. Nych. 643
Anydrelia nov. 177
 Aoshakuna 15
 apantharia Dhl. Cid. 167
 apatela nov. Lith. 238
Apericallia Leech 334
 Apectovia Krut. 4
 aphanes Whli. Arich. 255 . . . 19 b
 aphrodite Schaw. Ana. 242
 aphrodite Prt. Chlorom. 10 . . 1 c
 apicata Cid. 123
 apicata Mr. Gar. 331
 apicata Mr. Dal. 349
 apicata Prt. Crypt. 93 9 f
 apicata sp. n. Lith. 240 . . . 18 l
 apicearia Peyer Gnoph. 613
 apiciata Stgr. Cid. 128
 apiciata Stgr. Cid. 141 13 h
 apicinotaria Leech Phot. 103
 apicipunctata Christ. Scop. 34
 apicrosea sp. n. Cal. 27, 29
 apicrosea sp. n. Cal. 28 4 d
 apicistrigaria Djak. Discol. 176
 Apithecina Prt. 172
 Aplasta Hbn. 3
 Aptasla 1
Apoaspilates Whli. 718
Apocheima Hbn. 417
 Apocheima 418, 427
 Apocleora Whli. 528
Apocolotois Whli. 345
 Apocolotois 344, 346
 apographa Djak. Cid. 159
Apoheteroloeha Whli. 368
 Apoheteroloeha 369, 370
 apoleuca Whli. Lepto. 335 . . . 26 a
 apopempta sp. n. Bert. 21 . . . 3 f
Apopetelia Whli. 310
 Apopetelia Whli. 705
 Apoplagoedis 360
 Apoplagoedis Whli. 358
 apora Whli. Anon. 361 29 f
 Aporhoptrina 563
 Aporhoptrina Whli. 565
Apostates Warr. 26
 apotaeniata Whli. Cab. 308 . . 23 e
 appositaria Leech Boarm. 486,
 487
 appositaria Leech Boarm. 487
 approximaria Leech Boarm.
 496
 approximaria Leech Ilir. 521, 547,
 551, 552, 574
 approximaria Leech Ilir.
 552,
 approximata Prt. Orth. 74 . . . 7 e
 aquata Hbn. Horisme 213
 aqueata Hbn. Cid. 130, 134, 248
 aqueata Hbn. Cid. 132,
 aquilaria Wkr. Hypo. 407
 aquitanaria Const. Sterr. 60,
 227
 aquitanaria Const. Sterr. 59
 aptata Hbn. Cid. 130, 132
Aracima Bthr. 8
 aragona Whli. Phas. 468 41 d
 aragonensis Schaw. Selid. 652
 aragonensis Zerny Gnoph. 590 . 49 f
 aragonis Whli. Boarm. 484 . . . 43 c, d
 araxina Rjab. Scod. 656 . . . 52 e
 arecuthata Frr. Eupith. 188,
 191
Archaeobalbis Prt. 5
 Archaeobalbis 216
 aretata Zell. Cid. 253
 aretia Paux Cid. 170
 aretiea Schmid. Cid. 136
 archiea Strd. Lyg. 108
 arcticaria Kef. Cid. 123
 areuaria Hbn. Atom. 642
 arcuaria Hbn. Atom. 643
 arcuaria Hbn. Scop. 47 6 b
 ardekana Brdt. Gnoph. 591 . . 49 d
 ardschira Brdt. Synop. 464 . . 41 a
 arearuptata Sit. Cid. 110
 arenacca Prt. Gloss. 47, 48
 arenaccaria Schiff. Sem. 382, 391
 arenaccaria Schiff. Teph. 399
 arenaria Cand. Emat. 648
 arenaria Hufn. Boarm. 524
 arenaria Leech Met. 6 1 g
 arenaria Prt. Gloss. 48
 arenaria Sich. Sem. 386
 arenaria Stgr. Lomo. 295, 296 . . 22 g
 arenicola Rolhseh. Eupith. 205,
 206
 arenitincta sp. n. Eupith.
 205 18 l
 arenosa Bthr. Ephor. 316
 arenosus Horisme 215
 aerthusia Harr. Lyc. 425
 argentaria B.-Haas Phyll. 216
 argentaria B.-Haas Phyll. 2
 argentaria H.-Schäff. Comps.
 682
 argentaria Leech Myrt. 297
 argentata Meres Pel. 171
 argentataria Leech Comib. 12
 argentea Harr. 425
 argentilinea Mr. Pseudom. 336
 argentilinea Mr. Cid. 136
 argentipecta Whli. Psod. 637,
 638 51 g
 argentiolumbea Hmps. Cid. 139
 argilata Gn. Sterr. 59
 argilata Gn. Sterr. 65 7 b
 argillacea Bthr. Gar. 331
 argillacea Prt. Scop. 39
 argillacea Schwes. Cid. 130
 argillacearia Stgr. Gnoph. 582,
 583, 586 48 d
 argillata Brdt. Gnoph. 587
 argozana Prt. Tasta 304
 arguta Bthr. Boarm. 518
 argutaria Wkr. Iod. 21
Arichanna Moore 254
 Arichanna 262, 275, 703
 ariciata Eupith. 207
 arida Bthr. Gon. 341, 342
 arida Dietze Eupith. 197
 aridela subsp. nov. Cid. 127 . . 12 c
 arisana Whli. Sem. 388
 arisema Prt. Boarm. 509 . . . 44 f
 aristidaria Oberth. Our. 355
 aristonaria Wkr. Het. 363, 364,
 368 29 i
 aristonaria Wkr. Het. 367 . . . 29 i, k
 arizana Wilem. Hydr. 178
 armenia Whli. Gnoph. 610 . . . 50 e
 armeniaca Th. Mieg. Scop. 47
 armoraciaria Pseud. 7
 arnaria Wkr. Corym. 361, 362,
 712
 arnoldiaria Mals. Colot. 709
 arnoldiaria Oberth. Apo. 345 . . 27 d
 arrizanaria Bast. Lox. 642, 673
 arrostaria Schaw. Arti. 338
Artemidora Meyr. 337
 artemidora Oberth. Brab. 92, 93
 artemis Stgr. Boarm. 531 . . . 45 f
 artemisiata Const. Eupith. 188 . 14 g
 artesaria Schiff. Sem. 391, 392
Artiora Meyr. 338
 Asaphodes 136
 Ascotis Hbn. 531
 aseltaria Gn. Sterr. 53, 54
 asellaria H.-Schäff. Gloss. 48,
 49 5 f
 Asellodes 23
 asemographa Whli. Abr. 279,
 280
 asemographa Whli. Abr. 282 . . 21 g
 asiace-minoris Ams. Cos. 221
 asiatica Stgr. Cid. 127, 128 . . 12 c
 asiatica Warr. Lepto. 92 9 e
 asignaria B.-Haas, Osth. Cid.
 126
 asignata Byt.-Salz u. Brandt
 290
 asinala F. Lith. 240
 asinata Frr. Lith. 241
 asinata Tr. Lith. 241
 askotdaria Oberth. Cid. 129
 askoldinaria Oberth. Arich. 256 . 19 b
 aslae Agenjo Cid. 131
 Asmate Gmppbg. 372, 382, 713
 Asmate Gmppbg. 392
 Asovia Atph. 511
 asperaria Hbn. Rhopt. 583, 564
 565
 asperaria Hbn. Rhop. 563 . . . 47 d
 aspersaria Stgr. Dyse. 666 . . . 53 a
Aspilates Tr. 675
 Aspilates 25, 458, 459, 563,
 665, 669, 671, 674, 679, 680,
 681, 682, 718
 Aspilates Lhomme. Prt. 675
 Aspilates Tr. 676
 asprectifera sp. n. Cid. 156 . . . 15 h
 assignaria Nitsehe Cid. 126
 assimilaria Rmb. Sem. 382,
 391
 assimilaria Rmb. Teph. 400
 assimilata Dbl. Eupith. 194, 199, 202

assinata Frr. Lith. 241
associata Bleh. Lyg. 244
Astegania Djak. 305
Astegania Djak. 293
Asthena Hbn. 180
Asthena 41, 81, 178, 181
Astheninae 174
Astheniodes Cid. 139
astigma Bap. 301
astigmalaria Byt.-Salz u. Brandt
 Eil. 377 30 h
Astrapephora Alph. 674
Astrapephora 355
asymmetricaria Oberth. Trist. 356 28 f
asymmetra Whli. Gnoph. 601 49 e
asynapta Whli. Bap. 303 . . 23 c
ateles Whli. Abr. 277 . . . 21 c
ateles Whli. Noth. 321 . . . 24 e
aterrima Horn. Boarm. 483
aterrima Btlr. Bapt. 82
aterrima Btlr. Bapt. 237
aterrima Std. Min. 81 . . . 8 c
athleta Oberth. Boarm. 469,
 718 41 e, f
atherma subsp. nov. Lobo. 105 10 f
Athroolopha Led. 644
Athroolopha 643
atlagenes sp. n. Micr. 16 . . . 3 b
atlantica Stgr. Cid. 151
atlantica Reiss. Dyc. 666, 667 53 b
atlanticaria Le Cerf Athrool.
 645
atlanticaria Luc. Fid. 643, 644 51 i
atlanticaria Peribat. 469
atlanticaria Schwes. Nych. 437 37 c
atlanticaria Stgr. Boarm. 452,
 472
atlanticaria Stgr. Boarm. 517
atlanticaria Weiß Boarm. 452
atlantis Prt. Jta. 396
atomaria Cul. Emat. 648
atomaria L. Emat. 382, 396,
 641, 646, 648, 649, 650
atomaria L. Emat. 647
atomaria Zett. Emat. 647
Atomorpha Stgr. 641
Atomorpha 643
Atomorphinae 642
Atopophysa Warr. 173
Atopophysa 175
atra Brandt Jst. 394
atra Kief. Cal. 100
atra Rbl. Scop. 43
atrata L. Od. 4, 81, 216
atrata Wil. Prote. 318 . . . 24 d
atrilineata Btlr. Phtho 448, 461
atrilineata Btlr. Phtho. 460,
atrinotapex Joann. Bap. 304
atrisparsaria Whli. Disco. 27
atrisparsaria Whli. Disco. 26 . 4 b
atrilvalva Whli. Het. 366, 367 30 c
atrofasciaria Schille Cid. 126
atrofasciata Wgn. Cid. 139
atroflava Galv. Cid. 139
atrolata Schaw. Cid. 149
atropicta Dietze Eupith. 194
atropunctaria Wkr. Pseud. 217 18 h
atropurpurea Mich. Cal. 221
atrostrigata Brem. Phot. 103
atrox Schwes. Cid. 170
atschana Whli. Boarm. 506
attenuaria Rmb. Sterr. 59, 63
attenuaria Rmb. Sterr. 53
attenuata Warr. Probl. 33
attenuata Cul. Cid. 134
atyche sp. n. Euchl. 218
atyche sp. n. Euchl. 18 . . . 3 e
Auaxa Wkr. 338
auberti Oberth. Croc. 347
auchmodes Whli. Abr. 277 . . 21 b
aucta Krauss. Lyth. 71, 72
aucta Krauss. Rhod. 69 . . . 7 e
augustaria Krul. Enn. 324
augustaria Oberth. Chlorom. 11 1 c

augustiniaria Fernand. Rhod. 24
aurantiaca Alph. Obeid. 267,
 268
aurantiaca Dur. Croc. 347
aurantiaca Rbl. Epi. 370, 371
aurantiaria Hbn. Erannis 411,
 412, 415, 715, 716
aurantiacaria Brem. Scar. 318
aurantiacus Ang. 351
aurantiaria Hbn. Erann. 414
aurantiodelecta Schaw. Lyg.
 110
aurantiodelecta Lyg. 110
aurata Fuchs Sterr. 66
aurata Fuchs Sterr. 66
aurata Mr. Cid. 156
aurata Mr. Kran. 405
aurata Müll. Sterr. 226
aurata Müll. Sterr. 225
aurata Prt. Gon. 342, 343, 709
aurata Stern. Gon. 343
aurata Trti. Sem. 390
aurata-diluta Hannem. Sterr.
 66
auratilis Prt. Ephor. 316 . . . 24 b
aurea Btlr. Camptoch. 336
aurearia Sldr. Sem. 390
aureoadflata Sldr. Pseudop.
 376
aureofulva Warr. Chlorom. 11
aureolaria Schiff. Sterr. 51
aureospoliata Boldt Sterr. 66
aurichalcea Diosz. Boarm. 497
aurigena Btlr. Eust. 106
aurigutta spee. nov. Cid. 139 . 13 g
auristigma Prt. Chrys. 30
aurovestita Coek. Abr. 281
aurodiluta Hannem. Sterr. 66
aurofasciata Porr. Abr. 281
austautaria Oberth. Lith. 373,
 374
austautaria Oberth. Lith. 373 . 32 i
austauti Oberth. Dyc. 662
austeraria Leech Hir. 547, 548,
 549, 550
austeraria Leech Hir. 550
austerata Hbn. Eupith. 194
austerior Whli. Abr. 288 . . . 21 d
australis Z. Sterr. 58
austriacaria H.-Schäff. Cid. 249
austriacaria H.-Schäff. Cid. 132
austriac Müll. Sterr. 225
austriac Müll. Sterr. 226
Autallaeta 180
autophilaria Sherb. Rhod. 70
Autotrichia Prt. 2, 641
autumnalis Boarm. 523
autumnalis Dhl. Cid. 133, 141
autumnalis Dhl. Gnoph. 585
autumnalis Pfau Char. 674
autumnalis Schwes. Euchl. 218
autumnalis Schwes. Sterr. 56,
 61, 64
autumnaria Wernb. Enn. 431
autumnaria Wernb. Enn. 324
autumnata Opor. 96, 243
autumnata Bkh. Opor. 97
autumnata Brdt. Scodion 655
autumnata Brdt. Scod. 656
Auzea Wkr. 336
aversata Guen. Sterr. 227
aversata L. Sterr. 66
aversata L. Sterr. 229
avilaria Reiss. Cid. 251
avilarius Rssr. Gnoph. 590, 591
avulsa sp. nov. Kyr. 73 . . . 7 d
azela Btlr. Hast. 80
azorensis Prt. Cos. 31 . . . 4 e
azrouensis Whli. Sem. 390 . . 31 f

B.

bachmutensis subsp. nov. Lith.
 239 18 g

badiaria Frr. Rhod. 25
badiaria Slgr. Cos. 31, 224
badiata Schiff. Cid. 170
badiata Schiff. Earoph. 98
baeticaria Rmb. Perc. 681
baeticaria Zerny Sterr. 228
baeticaria Zerny Sterr. 62 . . 6 d
bahama Wiltsh. Erannis 715
bahmana Wiltsh. Erannis 716
bajaria Schiff. Erann. 412, 716
bajaria Schiff. Erann. 413
balcanica Züll. Ana. 242
balearica Schaw. Cid. 151
balestraria Luc. Sterr. 55
baloutschistana Whli. Atom. 641
baloutschistana Whli. Atom. 642 51 h
baltica subsp. nov. Cid. 251
balva Th. Mieg. Cid. 251
balva Th. Mieg. Cid. 143 . . . 15 a
banghaasi Dufr. Atom. 642
banghaasi Prt. Sterr. 62
banghaasi Whli. Gnoph. 621
Bapta Steph. 298, 300
Bapta 293, 295, 296, 297, 299,
 304, 305, 306, 704, 712, 713
Baptia Hbn. 82
barcearia Trti. u. Krüg. Sterr.
 225
bareinonaria Bell. Hem. 450,
 454 39 c
barcinonaria Bell. Hem. 449 . 39 c
bardiaria Trti. Eupith. 210 . 18 e
bareconia Schw. Cid. 137
barettaria Oberth. Enn. 324
barteli Prt. Arich. 256, 257
basharica B.-Haas Cid. 110 . 11 b
basharica Whli. Sem. 388 . . 31 a
basiconfluens Byt.-Salz Orth. 235
basifasciaria Leech Boarm. 720
basinigra Klem. Cid. 252
basisparsa Whli. Noth. 321 . . 24 f
basochaesiata Byt. Salz Cid. 251
basochesiata Dup. Cid. 146
basochesiata Dup. Cid. 147,
 251
bastelbergeri Dietze Eupith.
 188 4 g
bastelbergeri Hirschke Boarm. 498
bastelbergeri Hirschke Boarm.
 503 44 c
bastelbergeri Püng. Cid. 139 . 13 g
bastelicaria Bell. Boarm. 473
bastelicaria Bell. Boarm. 523
baton Harr. 425, 718
beata Byt.-Salz Cid. 151
beckeraria Led. Scop. 38
beduina Trti. Cid. 144
bejaranaria Fern. Boarm. 474
bela Btlr. Erann. 415, 506
belemiata Mill. Sterr. 64
bella Btlr. Micro. 92
bella Stgr. Eupith. 198 . . . 17 k
bellaria Leech. Cid. 135
belleri Cul. Opor. 97
bellieri Oberth. Gnoph. 583,
 584, 590 48 c
bellieri nom. nov. Sterr. 225
bellissimaria Statterm. Cid. 146
belluaria Gn. Perc. 263
belluaria Gn. Perc. 265
belzebuth Prav. Psod. 634
benacaria Dhl. Eupith. 189
benepunctaria Whli. Gnoph.
 594 48 g
benescripta Prt. Buz. 436
benesignata Noack Megaly. 457
benesignata Bell. Pachycn. 562,
 563, 574
benesparsa Whli. Buz. 436 . . 36 f
bengasiaria Trt. Sterr. 52 . . 5 g
bentelii Lhomme Psod. 631
bentelii Rtzr. Psod. 631 . . 51 f
bentelii Rtzr. Psod. 628, 630,
 631, 632 633, 634, 635, 636, 638, 639

bentelioides *Wlhi.* Psod. 636
berberata *Schiff.* Cid. 143
berberata *Schiff.* Cid. 144
berenicidaria *Trti.* Hem. 449.
 450 39 c
bergeri *Dziur.* Bup. 651
bermeja *Rbr.* Lomo. 295
Berta *Wkr.* 21
bertrandi *Rothsch.* Cid. 146
berus *Hörh.* Bist. 429
beryllaria *Mann.* Xen. 16, 22
beryllata *Dadd.* Cid. 170
beryllaria *Apl.* 3, 4
berytaria *Stgr.* Ita. 396
betularia *L.* Bist. 429, 430, 432,
 440
betularia *L.* Bist. 430, 718
betularia *Gladb.* Cid. 158
bezengius *Niesiol.* Gnoph. 584
biangulata *Stern.* Discol. 176
bicauliata *Prt.* Hydr. 179
Bichroma *Gmpbg.* 393
Bichroma 374, 382
bicolor *Müll.* Cid. 120
bicolor *Oberth.* Gnoph. 583
bicolor *Prt.* Het. 367 29 k
bicolor *Oberth.* Cos. 32 4 e
bicolor *Warr.* Ann. 104
bicolor *Warr.* Rhod. 24 3 h
bicolor *Warr.* Rhod. 220
bicoloraria *Cul.* Cid. 131
bicolorata *Hufn.* Cid. 111
bicolorata *Mr.* Hydr. 178 . . . 16 g
bicoloria *Back.* Gymn. 210 . . 18 f
bicommata *Warr.* Het. 91
bidentata *Cl.* Gon. 340
bidentata *Cl.* Gonod. 709
bieli *B.-Haas* Croc. 347
biernis *Prt.* Lith. 84 8 g
biernis *Prt.* L. 242
bieti *Oberth.* Fid. 643
bieti *Oberth.* Ekl. 645
bifaciata *Haw.* Cid. 167
bifalsaria *Prt.* Scop. 34
bifalsaria *Prt.* Scop. 41
bifasciata *Dietze* Eupith. 208
bifasciata *Hannem.* Abr. 284
bifasciata *Koll.* Opor. 243
bifasciata *Obr.* Lyth. 234, 235
bifasciata *Std.* Cid. 140
bifidaria *Haw.* Col. 345
bifracta *var. n.* Arich. 261 . . . 19 f
bifurcatus *Ellopia* 612
bigeminata *Christ.* Cid. 129 . . . 13 c
bilinearia *Leech* Aper. 331
bilinearia *Leech* Emm. 91
bilinearia *Leech* Lept. 335
bilinearia *Leech* Leptom. 371
bilincaria *Swk.* Gon. 341, 342,
 343
bilinearia *Swk.* Gon. 312
bilineata *L.* Cid. 150, 151, 252
bilineata *Fern.* Boarm. 503
bilineata *Gutr.* Cab. 306
bilineata *Leech* Rhynch. 298
bilineata *Leech* Rhyn. 380, 713
bitineata *Witem.* Lobog. 91
bilunaria *Esp.* Sel. 326
bilunaria *Esp.* Selen. 327, 706
bilunulata *Zett.* Eupith. 184
bilunulata *Zett.* Eupith. 208
bimaculata *Leech* Cid. 157, 252
bimaculata *Byt.-Satz.* Cid. 250
bimaculata *F.* Bap. 298, 301
bimaculata *F.* Bap. 300,
bimaculata *Trti. u. Krüg.* Sterr.
 224, 225
binaevata *Mab.* Lith. 373 . . . 32 i
binaevata *Mab.* Lith. 373
binaloudi *Brdt.* Gnoph. 592 . . 49 d
Binareolaria *Wlhi.* 95
binderi *Marschn.* Lyg. 109 . . . 11 e
binderi *Std.* Cid. 128 12 d
bioerraria *Püng.* Kuld. 80 . . . 14 k

biornata *Christ.* Eupith. 194
biotypica *Hem.* 450 39 d
biparata *Lcd.* Sem. 381
biparata *Lcd.* Sem. 391 31 h
bipartaria *Leech* Pier. 173
biplagiata *Bast.* Het. 365, 366
bipuncta *Stach.* Cid. 168
bipunctaria *Schiff.* Orth. 77, 78
bipunctata *Hannem.* Cid. 111
biquadrata *Warr.* Arich. 254
Birasodes *Prt.* 547
biriviata *Bkh.* Cid. 128
biroi *Diosz.* Col. 345
biselala *Hufn.* Sterr. 63, 64, 228
biselata *Hufn.* Sterr. 63, 64, 228
bisinuata *Warr.* Rhod. 25, 26 . . 4 b
bisinuata *Hmps.* Boarm. 491
biskraria *Oberth.* Lhomm. 402
biskraria *Oberth.* Lhomm. 404
biskraria *Oberth.* Teph. 313
Biston 419, 428, 440, 666,
 718
Biston *Leach.* 429
Biston *Leach* 429, 718
Bistoninae 382, 412, 418, 421
bistortata *Boarm.* 537
bistortata *Ectr.* 117
bistortata *Goeze* Boarm. 532,
 533, 534, 535, 536, 542, 550
bistortata *Goeze* Boarm. 534
bistortata *Rbt.* Boarm. 533
bistortata *Stern.* Boarm. 533
bistriata *Rothsch.* Boarm. 473,
 474 42 a
bistrigaria *Hegdem.* Emat. 649
bistrigata *Tr.* Cid. 151
bistrigata *Tr.* Cid. 252
bistrigata *Dietze* Eupith. 196,
 199, 204
bithynica *Wlhi.* Lom. 291 . . . 22 e
bitinctata *Dhl.* Scop. 45
bituminaria *Lcd.* Boarm. 470 . . 41 f
Bizia *Wkr.* 351, 569, 711
blachierata *Cul.* Cid. 131
blaisa *Wlhi.* Gon. 342 26 g
blanca *Nitsche* Gnoph. 614
blandiata *Schiff.* Cid. 165
blandiata *Schiff.* Cid. 168
Blepharoctenia *Warr.* 436
bleusei *Th.-Mieg* Lhomm. 404
blomeri *Curt.* Discol. 175
bluethgeni *Püng.* Psyra 671 . . . 53 b
bluff *Bryk* Cal. 102
boarmaria *Prt.* Psyra 671
Boarmia *Tr.* 468
Boarmia 254, 292, 428, 448,
 450, 452, 458, 459, 548, 574,
 651, 652, 660, 677, 718, 719,
 720, 721
Boarmia *Tr.* 518
boarmiaria *Guen.* Boarm. 541,
 542, 721 46 b
boarmiaria *Prt.; Stern.* Psyra 671
boarmiata *Püng.* Lox. 673
boarmiata *Gracs.* Psyra 671, 674
Boarmiinae 265, 381, 382, 396,
 399, 402, 622, 646
Boarmioides 392
boarmioides *Mr.* Boarm. 532
bocki *Oberth.* Hyper. 313 . . . 23 i
boegli *Strd.* Cid. 153
bogumilaria *Rbt.* Cid. 135 . . . 12 i
bohatschi *Aign.* Cid. 252
bohatschi *Stgr.* Eupith. 191
boidurataria *Luc.* Croc. 347
boisduvalaria *Luc.* Croc. 348,
 710
boisduvataria *Prt., Oberth., Cul.*
Croc. 710
bombycata *Hbn.* Ches. 241
bordigherata *Dietze* Eupith. 185
borealis *Herz.* Cid. 252
borealis *Lank.* Bap. 237
borealis *Pet.* Cid. 252

borealis *Petersen* Cid. 149
borealis *Rangn.* Poec. 419
borealis *Swk.* Rhod. 24
borealis *Toll* Lyc. 718
boreas *Harr.* 426
boryata *Rbl.* Eupith. 205
boryata *Rbl.* Eupith. 205
bosmina *Th.-Mieg* Nych. 437
bosporaria *Il.-Schäff.* Lith. 84
bosporaria *Il.-Schäff.* Lith. 241
boursini *Atb. u. Warn.* Boarm.
 474, 477 42 e
Brabira *Moore* 92
Brabira 177
brachycerca *Wlhi.* Our. 354 . . . 28 c
Brachyglossina *Wgn.* 67
Brachyglossina 57, 61, 229, 476
brachynesis *nov.* Stamm. 236
brachysoma *sp. n.* Gel. 13 . . . 2 h
braconieri *Nordstr.* Sel. 327
brandti *Wlhi.* Hem. 451 39 g
brandti *Wlhi.* Hem. 525
brandtorum *Wlhi.* Gnoph. 579 . . 48 c
Brephinae 1
Brephos *Zinck.* 1
brephos *Oberth.* Cid. 160
breta *Swk.* Boarm. 545
bretschneideri *Harr.* Nyss. 422 . . 34 i
brevibasis *subspec. n.* Agnib.
 179 16 h
breviciliata *Wlhi.* Boarm. 539
breviculata *Donz.* Eupith. 190
brevifasciaria *Leech* Hor. 183
brevifasciaria *Leech* Horisme
 213
brevifasciata *Warn.* Cid. 115
brevifasciata *Warr.* Cid. 168 . . 16 b
brevipectinata *sp. n.* Ven. 174 . . 16 d
brisciacensis *Dhl.* Horisme 213
bistrigata *Dietze* Chlorocl. 211
britannica *Harr.* Nyss. 422
britannica *Turn.* Cid. 112, 245 . . 11 c
britanniae *Müll.* Sterr. 226
britonaria *Culol* Scop. 38 4 i
brockenensis *Strd.* Cid. 134
brönnöensis *Strd.* Cid. 163
brooksi *Harr.* Poec. 419
brumata *L.* Opero. 95, 243
brunnea *Closs* Breph. 1
brunnea *Erannis* 715
brunnea *Hannem.* Als. 2
brunnea *Le Cerf* Bich. 393 . . . 31 k
brunnea *Masl.* Emat. 650
brunnea *Nessl.* Cid. 161
brunnea *Vorb., Müll. u. Rulz*
Gnoph. 613
brunnearia *Leech* Eust. 106 . . . 10 g
brunnearia *Leech* Rhopt. 565
brunnearia *Leech* Syn. 27
brunnearia *Oberth.* Disco. 26
brunneata *Dhl.* Chlorocl. 211
brunneata *Hegdem.* Boarm. 498
brunneata *Kard.* Char. 674
brunneata *Kautz* Cid. 151
brunneata *Kitt.* Cid. 162
brunneata *Luc.* Cid. 148
brunneata *Pack.* Cid. 123
brunneata *Stgr.* Eupith. 186 . . . 14 f
brunneata *Tull.* Hem. 449
brunneimargo *Prt.* Bap. 301
brunneimixta *Th.-Mieg.* Cid.
 149 15 c
brunneipennis *Hulst* Cid. 129
brunneoalbata *Hegdem.* Cid. 113
brunneofasciata *Hannem.* Cars.
 88
brunneofasciata *Hoffm.* Cid. 126
brunneofasciata *Warn.* Kuld.
 79 8 a
brunneolineata *Dhl.* Cid. 146
brunneomarginata *Schaw.*
Scop. 36
brunneo-violacea *Djak.* Teph.
 399

a



sajana



flava




laeta



suifunensis



latevirgata



mandarinata

b



ussuriensis



tenuis



planaria



zanoni



trifasciata



faecaturia




lysineles


c



mongaku




aphrodite



augustaria



mombeigaria




castalaria

castalaria


d



dubernardi



subprocumbaria



latilinea



heterogynoides



pellucida



murina

e



christinaria




euethes




amanensis



angustaria




opisodisticha




sordida

f



cinerea




transiens



albida




aigneri




iterans

g




multispurcata




danielaria



subnubigosa




vigil



differens

h



abraxas




ectoxantha





costiflavens





davidaria
























a




b



c




d




e




f



g



h



a



inurbana

tertrivia

sugitanii

albicinctata

eminens

b



festinaria


basharica

deletaria ♂

undulata ♂

cembrae

c



britannica

subtaurica


pseudovariata

postalbida

scotica

peloponnesiaca

d



insulicola

consimilis

praefecta


serrataria

quadrifulta

nigerrimata

dotata

e



binderi

musauaria

flavifusa

japonica

proavia

superba

f



latefasciata

infusata

psodoidaria

volutata

incolorata

pseudimmanata

g



simpliciatata

imitaria

acutata


unicolorata

thingvallata

dentifera

coniformalis

h



rectantemediana

alexandrowskana


fulvipennis


korbi


albovenosata


mediofasciata























a



montana



latinarginata



concinna ♂



praepiperita



propsara



kansuensis


b



hemerophiloides



rhusiocirra



leucaphrodes



semilivens



auchmodes

c



epipercna



pauxilla



ateles



syngenica



friedrichi

d



sinopicaria



nebularia



major



austerior



celidota



perchaotica

e



phaia




ribesata



minor



dsungarica



notabilis

f



subflava




grisearia



flavisinuata



heringi



polysticta

g



conialeuca



asemographa



permutans



ischna



calypta

h



microtate



cos



suffusa





cosmia





niphonibia



















































































a



daubei



snelleni




orthogonia




amanensis


b




wiltshirei



gorgata



elahi ♂



elahi ♀




culminata


c




chorista



brandtorum



anophaea



mediorhenana



bellieri

d




calceata




argillacearia



fasciata



zeitunaria




mardinaria




croci


e




similaria



certhiatus



minorasiaticus ♂




minorasiaticus ♀




zeiae


f




eugonia




petrina



fractifasciata




orbicularia




exilis


g




turfosa




glaciata



benepunctata




pyrenaica




subsplendaria

h




deliciosaria ♀




deliciosaria ♂



korlata ♀



korlata ♂



urmensis



